

UHF RFID Keyfobs



Quick Details

LDR-TK01 UHF RFID Keyfobs are designed in nano and exquisite size. It is made of ABS material which is durable, waterproof, re-usable and convenient to carry with your keys. Its read distance reaches max 3meters and can be used in many applications, such as, access control and attendance management.

Description

RFID Parameter	
Model No.	LDR-TK01
Type	Passive UHF RFID Keyfob
Protocol	ISO/IEC 18000-6C, EPC Class1 Gen2
Frequency	Worldwide 840-960Mhz, US 902-928mhz, EU 865-868Mhz
Chip	Alien Higgs-9
Memory	EPC 96bits
	TID 48bits
	User 688bits
Read&Write	Supported
Read Range	0.1-3meters adjustable(reader and environment dependent)
Data retention	10years
Programming Cycles	100,000 cycles
Anti-collision	Support multiple tags reading
Physical Parameter	
Color	Grey, Blue, Red, Yellow, Green, White

Size	43×30×5.1mm (L×W×T)
Antenna Material	PET+ Aluminum Etching
Surface Material	ABS Waterproof + Aluminum Alloy
Encode	Supported
Installation	Carry with keys
Operating temperature	-20℃ ~ +60℃
Operating humidity	20% ~ 90%RH
Package	50pcs/bag, 1500pcs/carton
Gross Weight	13kg for 1500pcs
Customized Service	Printing, EPC Pre-written, Color

Applications

- ✓ Access control & attendance Management;
- ✓ School and Office Management;